



ARTA FARTAK
TEJARAT ASIA

ARTA FARTAK TEJARAT ASIA

Trading co.

Experience a good deal

Co.R: 73102



SOLVESSO 100/A+
20FAE220 J00\A+

PROPERTY	UNIT	METHOD	MIN	MAX	TYPICAL VALUE
Specific Gravity@15.86/15.56°C	---	ASTM D 4052	0.860	0.880	0.872
Density @15 °c	Kg/M3	ASTM D4052	860	880	870
Appearance	--	visual	---	----	Clear &Transparent
Distillation					
	UNIT	METHOD	MIN	MAX	TYPICAL VALUE
IBP	°C	ASTM D86	155	165	162
10 %v	°C	ASTM D86	163	167	166
20 %v	°C	ASTM D86	163	167	166
30 %v	°C	ASTM D86	164	168	166
40 %v	°C	ASTM D86	164	168	167
50 %v	°C	ASTM D86	164	168	167
60 %v	°C	ASTM D86	165	169	167
70 %v	°C	ASTM D86	165	169	168
80 %v	°C	ASTM D86	166	170	169
90 %v	°C	ASTM D86	169	174	171
95 %v	°C	ASTM D86	169	175	173
Dry Point	°C	ASTM D86	174	185	178
Aromatics Content	Wt%	UOP 744-86	96	99	98.4
Benzene	Wt%	UOP 744-86	0.005	0.015	0.01
C8 Aromatic	Wt%	UOP 744-86	0.3	1	0.58
C9 Aromatic	Wt%	UOP 744-86	83	90	87.82
C10 Aromatic	Wt%	UOP 744-86	8	16	10.5
Flash Point	°C		38	50	49
Water Content	Wt.ppm		50	150	75

Address: No.339, Floor 1, Aali qapou Building, Chahar baagh Abbasi st. Esfahan, Iran
Postal code: 81346-14854

Tell: +98 31 32 23 21 99 - +98 913 64 913 10