

Datasheet

Art.No. 70.353.0635.1

Hood BAS GOT GG 6 M25 A1

revos BASIC 500V size 6 hood with threaded collar M25, lateral cable entry, single locking lever



Art.No.	70.353.0635.1
EAN	4015573648050
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	6
Model	male
Locking mechanism	Single locking lever
Cable entry	Sideways
Type of cable	Thread
With cable screw gland	No
Thread size M	25
Hinged lid	No
EMC-version	No

Classification

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 6.0	: EC000437

ETIM 5.0	EC000437: Housing for industrial connectors
ETIM 4.0	EC000437: Housing for industrial connectors
ETIM 3.0	EC000437: Housing for industry plug connectors

Drawings

Varianten/ Variants

.0 .2 .3 .4 .5

70.350.0635.5 BAS 60T 66 6 M25 A5
70.350.0635.4 BAS 60T 66 6 M20 A4
70.350.0635.3 BAS 60T 66 6 M25 A3
70.350.0635.2 BAS 60T 66 6 M20 A2
70.350.0635.1 BAS 60T 66 6 M20 A1

70.350.0635.0 BAS 60T 66 6 M20 A0

Bestellnummer / Order number: **70.350.0635.0**
 Typ / Type: **Bas**
 Varianten / Variants: **01**

Weitere Daten, siehe KATALOG oder eKatalog. / Additional data see CATALOG or eCatalog.
www.wieland-electric.com
shop.wieland-electric.com

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																				
1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100	

GEHAUSEOBERTEIL
 Basgröße 6-Kabelabgang seitlich-M20/M25
 Hood size 6-cable outlet side M20/M25