



Datasheet

version .0

Art.No. 71.353.1035.1

Hood BAS GOT GG 10 M25 A1

revos BASIC 500V size 10 hood with threaded collar M25, lateral cable entry, single locking lever



Art.No.	71.353.1035.1
EAN	4015573651616
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	Other
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	10
Model	male
Locking mechanism	Single locking lever
Cable entry	Sideways
Type of cable	Thread
With cable screw gland	No
Thread size M	25
Hinged lid	No
EMC-version	No

Classification

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 6.0	: EC000437

ETIM 5.0	EC000437: Housing for industrial connectors
ETIM 4.0	EC000437: Housing for industrial connectors
ETIM 3.0	EC000437: Housing for industry plug connectors

Drawings

**Varianten/ Variants**

71.350.1035.5	BAS 60T 66 10 M25 A5	Kabelverschraubung (KV), IP65 /Cable gland (CG), IP65
71.350.1035.4	BAS 60T 66 10 M20 A4	KV mit Zugentlastung, IP54 /CG with strain relief, IP54
71.350.1035.3	BAS 60T 66 10 M25 A3	KV mit Zugentlastung und Korbseilzug, IP54 /CG with strain relief and load support, IP54
71.350.1035.2	BAS 60T 66 10 M20 A2	Zwischensitzeln /Bushing
71.350.1035.1	BAS 60T 66 10 M20 A1	Gewindebohrung /Thread hole
71.350.1035.0	BAS 60T 66 10 M25 A0	Kabelverschraubung (KV), IP54 /Cable gland (CG), IP54

Bestellnummer / Order number:

Typ / Type:

Varianten / Variants:

Weiteres Daten siehe KATALOG oder eKatalog. [www.wieland-electric.com](http://www.wieland-electric.com)  
Additional data see CATALOG or eCatalog. [shop.wieland-electric.com](http://shop.wieland-electric.com)

Illustration Size 10: 100% (reference dimensions only)  
Illustration Size 15: 150% (reference dimensions only)  
Illustration Size 20: 200% (reference dimensions only)  
Illustration Size 30: 300% (reference dimensions only)  
Illustration Size 40: 400% (reference dimensions only)  
Illustration Size 50: 500% (reference dimensions only)  
Illustration Size 60: 600% (reference dimensions only)  
Illustration Size 70: 700% (reference dimensions only)  
Illustration Size 80: 800% (reference dimensions only)  
Illustration Size 90: 900% (reference dimensions only)  
Illustration Size 100: 1000% (reference dimensions only)

General Information  
 / Part No.   
 / Description   
 / Drawing No.   
 / Drawing Rev.   
 / Drawing Date   
 / Drawing Status   
 / Drawing Author   
 / Drawing Checker   
 / Drawing Approver   
 / Drawing Release   
 / Drawing Release Date   
 / Drawing Release Status   
 / Drawing Release User   
 / Drawing Release Date   
 / Drawing Release Status   
 / Drawing Release User

GEHAUSEOBerteil  
 Baugröße 10-Kabelabgung SP111111-10-0005  
 Hood size 10-cable outlet size-100-A05