



REAL-TIME PCR

CFX Opus 96 Real-Time PCR System

Integrated Workflow for the Modern Lab



The CFX Opus 96 Real-Time PCR System puts you on the road to an efficient workflow. Quickly set up runs and easily monitor run progress and analyze data using the comprehensive data management and analysis tools of CFX Maestro Software.

From your BR.io account, set up a run and access your results any time and anywhere you have internet access.

Benefits

Flexible connectivity and data management options for access and transfer of runs and experiment protocols.

- Operate in stand-alone mode through flexible connectivity options of wireless network (WiFi), Ethernet, and USB
- Access BR.io cloud platform for experimental setup and data management at any convenient location with internet access
- Enjoy continued support for and control of up to 4 CFX instruments with CFX Maestro Software for Windows 7 (64-bit), Windows 10 (64-bit), and Security Edition
- Email your completed run
- Save protocols and completed runs in a network folder

Intuitive touch-screen user interface for both experienced and new real-time PCR users.

- Create new real-time PCR protocols or easily modify existing protocols
- Set up unique User Names, with optional passwords, to easily organize and find your protocols and experiments

Specifications

System

Licensed for real-time PCR Yes Sample capacity

1–50 µl (10–50 µl recommended) Sample size

Dimensions (W x D x H) 33 x 56 x 36 cm (13 x 22 x 14 in.) Weight 22 kg (48 lb)

Touch-screen user interface Adjustable, with angle of rotation 12-55°

Communications USB 2.0 or above, Ethernet, WiFi Electrical approvals IEC, CE

Windows 10 IoT Operating system

Optical Detection System

6 filtered LEDs Excitation Detection 6 filtered photodiodes 450-730 nm Range of excitation/

emission wavelengths Scan time

> All channels 12 sec Single channel 3 sec

Dynamic range 10 orders of magnitude Sensitivity Detects 1 copy of target sequence in human

genomic DNA Up to 5 targets per well

96-Well Reaction Block

Multiplex analysis

Sample block type Fixed 96-well sample block Peltier

Heating and cooling method Lid heating 30-110°C Temperature range 4-100°C Maximum ramp rate 5°C/sec Average ramp rate 3.3°C/sec ±0.2°C Thermal accuracy

Thermal uniformity ±0.3°C (max-min) 0.6°C,

measured 10 sec after the block reaches the target temperature

Gradient

30-100°C Operational range Programmable span 1-24°C

continues



Specifications		Catalog #	Description	
CFX Maestro	Data Management and Analysis Software	1845098	CFX Qualification Plate, 96-well	
Operating syste	m Windows 7 (64-bit), Windows 10 (64-bit),	1814000	PX1 PCR Plate Sealer, includes heat sealing instrument	
	macOS (10.14, for analysis only)	1814030	PCR Plate Heat Seal, pkg of 100, optically clear seals for use	
Memory	Minimum of 1 GB	MSB1001	with the PX1 PCR Plate Sealer Microseal 'B' PCR Plate Sealing Film, pkg of 100, optically clear	
Data analysis m	odes PCR quantification with standard curve		seals for PCR plates	
	Melt curve analysis	HSP9655	Hard-Shell 96-Well PCR Plates, pkg of 50, low profile, thin wall,	
	Gene expression analysis by relative quantity (ΔCq) or normalized expression ($\Delta \Delta Cq$)	HSP9955	skirted, white shell/white wells Hard-Shell 96-Well PCR Plates, pkg of 50, low profile, thin wall, skirted, white shell/white wells, barcoded	
	Multiple-file gene expression analysis for comparisor of an unlimited number of Cq values	1708840	iScript Reverse Transcription Supermix for RT-qPCR, $25 \times 20 \mu l$ reactions	
	Allelic discrimination	1725037	iScript Advanced cDNA Synthesis Kit for RT-qPCR,	
	End-point analysis	1725270	25 x 20 µl reactions SsoAdvanced Universal SYBR® Green Supermix,	
	Data analysis options include bar charts, box-and-	1/252/0	2 ml (2 x 1 ml), 200 x 20 µl reactions	
	whisker plots, dot plots, clustergrams, scatter plots,	1725280	SsoAdvanced Universal Probes Supermix, 2 ml (2 x 1 ml),	
	and volcano plots	1725120	200 x 20 µl reactions	
	Statistics include <i>t</i> -test and analysis of	1723120	iTaq Universal SYBR® Green Supermix, 2 ml (2 x 1 ml), 200 x 20 µl reactions	
	variance (ANOVA)	1725130	iTaq Universal Probes Supermix, 2 ml (2 x 1 ml),	
Data export	Save, copy, and print all graphs and spreadsheets		200 x 20 µl reactions	
	from right-click menu	1725200	SsoFast EvaGreen® Supermix, 2 ml (2 x 1 ml), 200 x 20 µl reactions	
	Export specified data in multiple formats	1725210	SsoFast EvaGreen® Supermix with Low ROX, 2 ml (2 x 1 ml), 200 x 20 µl reactions	
	Copy and paste into a Microsoft Excel, Word, or PowerPoint file	12010176	Reliance One-Step Multiplex RT-qPCR Supermix, 1 ml (1 x 1 ml), 200 x 20 µl reactions	
	Print directly or save as PDFs customizable reports	1725150	iTaq Universal SYBR® Green One-Step Kit, 100 x 20 µl reactions	
	containing run settings, data graphs, and spreadshee		iTaq Universal Probes One-Step Kit, 100 x 20 µl reactions	
	Export to RDML	1725848	iQ Multiplex Powermix, 50 x 50 µl reactions	
Image export	Export images at any pixel size and at a resolution	1725095	SingleShot SYBR® Green One-Step Kit for Cell Lysis and	
	up to 600 dpi	1725160	RT-qPCR, 100 x 50 µl reactions	
	Save images as .bmp, .jpg, or .png files	1/25160	SsoAdvanced PreAmp Supermix, 1.25 ml (1 x 1.25 ml), 50 x 50 µl reactions	
-		17005726	SEQuoia Complete Stranded RNA Library Prep Kit, 24 reactions	
Ordering Information		17005710	SEQuoia Complete Stranded RNA Library Prep Kit, 96 reactions	
All software for Windows unless otherwise noted.		12011928	SEQuoia Dual Indexed Primers Set, 12 vials of unique dual	
Catalog #	Description		indexes, 96 reactions	
12011319	CFX Opus 96 Real-Time PCR System, includes power cord,	12011930	SEQuoia Dual Indexed Primers Plate	
12011319	USB cable, and Ethernet cable; does not include CFX Maestro Software 2.0 or WiFi adaptor	Visit bio-rad.com/CFXOpus for more information.		
17005940	CFX Opus 96 Real-Time PCR System with Starter Pack, includes CFX Opus 96 System, CFX Maestro Software 2.0, license for phase a Software power coble. LISB coble. Ethornet coble		BIO-RAD, HARD-SHELL, and MICROSEAL are trademarks of Bio-Rad Laboratories, Inc. in certain jurisdictions.	
12013758	reagents, consumables		SYBR is a trademark of Thermo Fisher Scientific Inc. Bio-Rad Laboratories, Inc. is licensed by Thermo Fisher Scientific Inc to sell reagents containing SYBR Green I for use in real-time PCR, for research purposes only.	

EvaGreen is a trademark of Biotium, Inc. Bio-Rad Laboratories, Inc. is licensed by Biotium, Inc. to sell reagents containing EvaGreen Dye for use in real-time PCR, for research purposes only.

Hard-Shell Plates are covered by one or more of the following U.S. patents or their foreign counterparts owned by Eppendorf AG: U.S. Patent Numbers 7,347,977; 6,340,589;

All trademarks used herein are the property of their respective owner.



Bio-Rad Laboratories, Inc.

CFX Maestro Software for Mac

CFX Maestro Software 2.0, Security Edition, 1 license

CFX Maestro Software 2.0, Security Edition, 5 licenses

Precision Melt Analysis Software, includes 2 user licenses, installation CD, 2 HASP HL keys, melt calibration kit

CFX Maestro Software 2.0, Russian Edition

CFX Maestro Software 2.0, Chinese Edition

Life Science Group

12004128

12012832

12013028

12012833

12012834

1845025

Website bio-rad.com USA 1 800 424 6723 Australia 61 2 9914 2800 Austria 00 800 00 24 67 23 Belgium 00 800 00 24 67 23 Brazil 4003 0399 Canada 1 905 364 3435 China 86 21 6169 8500 Czech Republic 00 800 00 24 67 23 Denmark 00 800 00 24 67 23 Finland 00 800 00 24 67 23 France 00 800 00 24 67 23 Germany 00 800 00 24 67 23 Hong Kong 852 2789 3300 Hungary 00 800 00 24 67 23 India 91 124 4029300 Israel 0 3 9636050 Italy 00 800 00 24 67 23 Japan 81 3 6361 7000 Korea 82 2 3473 4460 Luxembourg 00 800 00 24 67 23 Mexico 52 555 488 7670 The Netherlands 00 800 00 24 67 23 New Zealand 64 9 415 2280 Norway 00 800 00 24 67 23 Poland 00 800 00 24 67 23 Portugal 00 800 00 24 67 23 Russian Federation 00 800 00 24 67 23 Singapore 65 6415 3188 South Africa 00 800 00 24 67 23 Spain 00 800 00 24 67 23 Sweden 00 800 00 24 67 23 Switzerland 00 800 00 24 67 23 Taiwan 886 2 2578 7189 Thailand 66 2 651 8311 United Arab Emirates 36 1 459 6150 United Kingdom 00 800 00 24 67 23

Bulletin 7299 Ver C US/EG 20-0332 0520 Sig 0220

