

www.unicosci.com

PowerSpin™ DX Centrifuge

Product Images









Short Description

POWERSPIN™ DX CENTRIFUGE
VARIABLE SPEED 1000-3400 RPM
4 PLACE HORIZONTAL ROTOR FOR 50 ML TUBES
60 MIN DIGITAL TIMER
CAPACITY 4X50 ML TUBES
POWER INPUT 110V

Description

UNICO is proud to present the PowerSpin™ DX Centrifuge

With 3 rotor options this centrifuge is a great answer for every day laboratory tasks. Choose from 24 place fixed rotor for 2-15ml tubes (#C8724), 6 place horizontal rotor for 2-15ml tubes (#C8706) or 4 place horizontal rotor for up to 50ml tubes (#C8704)

The PowerSpin DX series features a large, spacious stainless steel lined interior, all digital push-button control with 3

preset operational modes for Blood, Urine and Fecal, variable speed 500-4000 RPM and zero RPM lid latching system. DX's are available in three main versions, fixed angle and horizontal spin rotors. All DX's feature maintenance-free brushless motors and suction cup rubber feet.

Additional Information

Accessories

Specification

Size and Weight

Header Accessories

C8600-01 6 Place Horizontal Rotor, 2-15ml for DX Centrifuge

C8600-02 4 Place Horizontal rotor, 50ml DX Centrifuge

C8600-03M 24 Place Fixed Angle Rotor, 2-15ml for DX

Centrifuge, Metal (without Tube Shields)

C800-02 Regular tube shield, pack of 2

C800-03 Adapter for short tubes, pack of 10

C800-04 Pediatric or microtube adapter, pack of 2

C800-05 Tube Lift Adapters, Pk/12

500~4000 rpm Speed (RPM)

Maximum RCF (g) 2508

Rotor 4 place horizontal

2-50ml Tube Size

13.75 inch Height (22 inch height with lid Size

open) x 15 inch Deep x 11 inch Width

19"X18"X15" Shipping Size

Weight 31 LBS Shipping Weight 36 LBS