

Datasheet

Art.No. 71.320.2428.0

Bottom BAS GUT GK 24 A

revos BASIC 500V size 24 open-bottom base, single locking lever



Art.No.	71.320.2428.0
EAN	4015573225176
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	24
Model	Equipment mounted (feed-through)
Locking mechanism	Single locking lever
Cable entry	None
Type of cable	None
With cable screw gland	No
Hinged lid	No
EMC-version	No

Classification

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 6.0	: EC000437
ETIM 5.0	EC000437: Housing for industrial connectors

ETIM 4.0	EC000437: Housing for industrial connectors
ETIM 3.0	EC000437: Housing for industry plug connectors

Drawings

71.320.2428.0 BAS GUT GK 24 A

Bestellnummer / Order number: 71.320.2428.0
 Typ / Type: BAS

Weitere Daten, siehe KATALOG oder eKatalog. / Additional data see CATALOG or eCatalog: www.wieland-electric.com
shop.wieland-electric.com

Bohrbild / Cut out

Dimensions: 140 (length), 28 (width), 112 (height), 130 (height), 35 (width), 32 (width), 43.4 (height), 66.4 (height), R4.6 (radius), 4.3/14 (hole diameter)

GEHAUSEUNTERTEIL
 Größe 24-eiten
 Open housing size 24

Material: 70V05
 Type: BASIC

Wieland
 Industrietechnik
 Industrietechnik

Bohrung für 10-16mm Durchmesser (Ø) / Hole for 10-16mm diameter (Ø)
 Bohrung für 17-20mm Durchmesser (Ø) / Hole for 17-20mm diameter (Ø)
 Bohrung für 21-25mm Durchmesser (Ø) / Hole for 21-25mm diameter (Ø)
 Bohrung für 26-30mm Durchmesser (Ø) / Hole for 26-30mm diameter (Ø)
 Bohrung für 31-35mm Durchmesser (Ø) / Hole for 31-35mm diameter (Ø)
 Bohrung für 36-40mm Durchmesser (Ø) / Hole for 36-40mm diameter (Ø)
 Bohrung für 41-45mm Durchmesser (Ø) / Hole for 41-45mm diameter (Ø)
 Bohrung für 46-50mm Durchmesser (Ø) / Hole for 46-50mm diameter (Ø)
 Bohrung für 51-55mm Durchmesser (Ø) / Hole for 51-55mm diameter (Ø)
 Bohrung für 56-60mm Durchmesser (Ø) / Hole for 56-60mm diameter (Ø)
 Bohrung für 61-65mm Durchmesser (Ø) / Hole for 61-65mm diameter (Ø)
 Bohrung für 66-70mm Durchmesser (Ø) / Hole for 66-70mm diameter (Ø)
 Bohrung für 71-75mm Durchmesser (Ø) / Hole for 71-75mm diameter (Ø)
 Bohrung für 76-80mm Durchmesser (Ø) / Hole for 76-80mm diameter (Ø)
 Bohrung für 81-85mm Durchmesser (Ø) / Hole for 81-85mm diameter (Ø)
 Bohrung für 86-90mm Durchmesser (Ø) / Hole for 86-90mm diameter (Ø)
 Bohrung für 91-95mm Durchmesser (Ø) / Hole for 91-95mm diameter (Ø)
 Bohrung für 96-100mm Durchmesser (Ø) / Hole for 96-100mm diameter (Ø)