wieland

Wieland Electric

contacts are green.

# Datasheet

Art.No. 71.325.1028.0

Bottom BAS GUT GP 10 A

revos BASIC 500V size 10 open-bottom base, with cover, single locking lever

| | |
|---|---|
| Art.No. | 71.325.1028.0 |
| EAN | 4015573225183 |
| Order unit | 1 pieces |

## Approvals

VDE

## Technical data

### General

| | |
|---|---|
| Housing material | Aluminium |
| Colour | Grey |
| Surface | With powder coating |
| Degree of protection (IP) | IP54 |
| UV resistant | Yes |
| Inflammability class of insulation material acc. with UL94 | Other |
| Operating temperature range min. | -40 °C |
| Operating temperature range max. | 120 °C |

### Model

| | |
|---|---|
| DIN-size | 10 |
| Model | Equipment mounted (feed-through) |
| Locking mechanism | Single locking lever |
| Cable entry | None |
| Type of cable | None |
| With cable screw gland | No |
| Hinged lid | Yes |
| EMC-version | No |

### Classification

| | |
|---|---|
| ECLASS 8.1 | 27440202: Housing for industrial connectors |
| ETIM 6.0 | : EC000437 |
| ETIM 5.0 | EC000437: Housing for industrial connectors |

| | |
|---|---|
| ETIM 4.0 | EC000437: Housing for industrial connectors |
| ETIM 3.0 | EC000437: Housing for industry plug connectors |

Drawings


71.325.1028.0
BAS GUT GP 10
Weitere Daten siehe KATALOG oder eKatalog.
Additional data see CATALOG or eCatalog.
www.wieland-electric.com
eshop.wieland-electric.com
71.325.1028.0 13K
GEHAEUSEUNTERTEIL
Gehäuse 10 polig
Housing size 10 open
wieland
revos
BASIC
Bohrbild
/Cut out
R4,6
43,5
72
68
93
28
35
32
65
83
Ø4,3/M4