



[Home](#) > [Products](#) > [Fuse Holders and Systems](#) > [Modulostar® CMC10](#) >

**H1062699 - CMC102**

## H1062699 - CMC102

**Series:** Modulostar® CMC10

Fuse Holder Modulostar® Size 10x38 IEC 690VAC 690VDC 2-Pole IP20

The innovative and comprehensive Modulostar® range of Mersen fuse-holders. Modular fuse-holders are finger-safe under IEC standards to an IP20 grade of protection, including fuse changing (with the flick of a finger). Modular fuse-holders are available in 1, 2, 3 or 4 poles, with or without visual blown fuse indicator. Multi-pole units can also be field assembled by ordering pin-ties assembly kit. Modulostar® range is made of tough and durable thermoplastic or thermoset material.

## Technical Specifications

Item number	H1062699
Catalogue No	CMC102
Description	Fuse Holder Modulostar® Size 10x38 IEC 690VAC 690VDC 2-Pole IP20
EAN/UPC Code	3605340602678
Rated voltage AC IEC	690 V
Rated voltage DC IEC	690 V
Ampere Rating	32 A
ROHS Compliant	Yes
AC or DC	AC/DC
Short Circuit Current Rating (SCCR)	200 kA
Fuse Size	10x38
Design Details	CMC10 double pole
Number of Poles	2-Pole
Torque Rating	2 N m

Rated Impulse Withstand Voltage	6 kV
Rated Insulation Voltage	1000 V
Max Power dissipation of Fuse Links Pn	3 W
Installation Mounting	DIN rail acc. EN 60715
Product Width	35 mm
Product Length	61.1 mm
Product Height	79.3 mm
Sell Pack Quantity	6 EA
Sell Pack Weight	0.552 kg
Sell Pack Width	90 mm
Sell Pack Length	222 mm
Sell Pack Height	68 mm
Product group	Fuse Holders
Body/Insulating Material	PA6
Product Weight	0.092 kg

Conventional Free Air thermal Current With Fuse-Links Ith	32 A
--	------

LESS SPECIFICATIONS ^