


Datasheet

Art.No. 71.340.1635.1

Bottom BAS GUT GR 16 M25 A1

revos BASIC 500V size 16 closed-bottom base with 2 threaded collars M25, with cover, single locking lever



Art.No.	71.340.1635.1
EAN	4015573624849
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	Other
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	16
Model	Surface mounting (base)
Locking mechanism	Single locking lever
Cable entry	Two-sided
Type of cable	Thread
With cable screw gland	No
Thread size M	25
Hinged lid	Yes
EMC-version	No

Classification

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 6.0	: EC000437

ETIM 5.0	EC000437: Housing for industrial connectors
ETIM 4.0	EC000437: Housing for industrial connectors
ETIM 3.0	EC000437: Housing for industry plug connectors

Drawings

Varianten/Variants

.0 .5

Bohrbild /Cut out

71.340.1635.5	BAS 6UT GR 16 M25 A5	Kabeiverschraubung, IP65 montiert /Cable gland, IP65 assembled
71.340.1635.1	BAS 6UT GR 16 M25 A1	Seiteneinbohrung /Thread hole
71.340.1635.0	BAS 6UT GR 16 M25 A0	Kabeiverschraubung/IV7, IP55 montiert /Cable gland/IV7, IP55 assembled
Bestellnummer /Order number		Typ /Type
Variante /Variant		71.340.1635.0 13K
<p>Weitere Daten siehe KATALOG oder eKatalog. www.wieland-electric.com Additional data see CATALOG or eCatalog. shop.wieland-electric.com</p>		

GEHAUSEUNTERTEIL
 Baugröße 16-Kabelgröße 2-M25
 Housing size 16-cable outlet 2-M25