

Datasheet

Art.No. 76.352.1535.1

Hood HD GOT GI 15 M20 50 A1

revos HD size 10/15 hood with threaded collar M20, top cable entry, single locking lever



Art.No.	76.352.1535.1
EAN	4015573625839
Order unit	1 pieces

Approvals

Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	Other
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	10/15
Model	male
Locking mechanism	Single locking lever
Cable entry	Above
Type of cable	Thread
With cable screw gland	No
Thread size M	20
Hinged lid	No
EMC-version	No

Classification

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 6.0	: EC000437
ETIM 5.0	EC000437: Housing for industrial connectors
ETIM 4.0	EC000437: Housing for industrial connectors
ETIM 3.0	EC000437: Housing for industry plug connectors

Drawings

Ausführung .1
version .1

Gewinde M 20
thread M 20

Ausführung .2
version .2

Stützen eingeklebt M20
intermediate support M20

Weitere Daten siehe Katalog
further data see catalog

Ausführung .0
version .0

Verschraubung M20
cable gland M20

Teil-Nr.	Typ
part number	type
76.352.1535.0	HD G0T GI 15 M20 50 A0
76.352.1535.1	HD G0T GI 15 M20 50 A1
76.352.1535.2	HD G0T GI 15 M20 50 A2

GEHAUSE_OBERTEIL
Groß-/Klein 15 M 20
Hood, single locking lever top cable entry

Wieland
Technische Zeichnungen

Scale: 1:1

Material: 2005

Created by: [Name]

Checked by: [Name]

Drawn by: [Name]

Part No.: 76.352.1535.0 01K