


Datasheet

Art.No. 71.350.1035.1

Hood BAS GOT GG 10 M20 A1

revos BASIC 500V size 10 hood with threaded collar M20, lateral cable entry, single locking lever

version .0



Art.No.	71.350.1035.1
EAN	4015573621787
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	Other
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	10
Model	male
Locking mechanism	Single locking lever
Cable entry	Sideways
Type of cable	Thread
With cable screw gland	Yes
Thread size M	20
Hinged lid	No
EMC-version	No

Classification

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 6.0	: EC000437

ETIM 5.0	EC000437: Housing for industrial connectors
ETIM 4.0	EC000437: Housing for industrial connectors
ETIM 3.0	EC000437: Housing for industry plug connectors

Drawings

Varianten/ Variants

71.350.1035.5	BAS 60T 66 10 M25 A5	Kabelverschraubung (KV), IP65 /Cable gland (CG), IP65
71.350.1035.4	BAS 60T 66 10 M20 A4	KV mit Zugentlastung, IP54 /CG with strain relief, IP54
71.350.1035.3	BAS 60T 66 10 M25 A3	KV mit Zugentlastung und Korbseilzug, IP54 /CG with strain relief and load support, IP54
71.350.1035.2	BAS 60T 66 10 M20 A2	Zwischensitzeln /Bushing
71.350.1035.1	BAS 60T 66 10 M20 A1	Gewindebohrung /Thread hole
71.350.1035.0	BAS 60T 66 10 M25 A0	Kabelverschraubung (KV), IP54 /Cable gland (CG), IP54

Bestellnummer / Order number:

Typ / Type:

Varianten / Variants:

Weiteres Daten siehe KATALOG oder eKatalog. www.wieland-electric.com
Additional data see CATALOG or eCatalog. shop.wieland-electric.com

Technical drawing details:
 - Top view: 53, 43
 - Side view: 73, 89
 - Variant .0: Cable gland with strain relief and load support (KV mit Zugentlastung und Korbseilzug)
 - Variant .1: Thread hole (Gewindebohrung)
 - Variant .2: Bushing (Zwischensitzeln)
 - Variant .3: Cable gland with strain relief (KV mit Zugentlastung)
 - Variant .4: Cable gland with strain relief, IP54 (KV mit Zugentlastung, IP54)
 - Variant .5: Cable gland, IP65 (Kabelverschraubung (KV), IP65)