

## LANmark-OF Patch Cords

### Beskrivelse


#### Application

Nexans **LANmark-OF** optical fibre patchcords have been designed for applications where a high level of optical features is required.

- Suitable for use in cabinets to connect patch panels/active equipments to active equipments.
- Suitable for use in the work area to connect the work station to the wall outlet (Fibre To The Desk).

Applications support :

- Fast Ethernet 100 base FX
- 1Gbase SX
- 1Gbase LX
- 10Gbase SR
- 10Gbase LW
- 10Gbase LX4
- 10Gbase LR
- 10Gbase LRM
- Fibre Channel Serial 1G
- Fibre Channel Serial 2G
- Fibre Channel Serial 4G
- Fibre Channel Serial 10G



### LANmark-OF

#### Standarder

Internasjonal ISO/IEC 11801

#### Performance


Nexans **LANmark-OF** patchcords are available in all standardised optical fibre classes, multimode and single mode. The MM62.5 version is designed for use in an OM1 compliant system, the MM50 version for OM2 systems and the MM50 OM3 version for OM3 systems. The singlemode version is OS2 compliant. The multimode versions can be used in laser optimised systems using the **LANmark-OF xt** cables.

#### Design

Nexans **LANmark-OF** patchcords designed according the "Cross-Over" wiring principle to improve field installation (A1-B2, B1-A2).

#### Guarantees

Nexans **LANmark-OF** patchcords are guaranteed to support LED based applications as well as Laser based applications. They are covered by Nexans warranty as described in the General Terms and Conditions.



Driftstemperatur område  
-10 .. 50 °C



Brannbegrensende  
IEC 60332-3, kategori C



Min. statisk bøyeradius  
40,0 mm

## LANmark-OF Patch Cords

### Egenskaper

Konstruksjonsegenskaper	
Armeringstype	Aramidgarn
Ytre kappe	LSZH-FR
Mekaniske egenskaper	
Motstand mot sammenpressing (IEC 794-1)	250 N/cm
Maks. tillatt strekk v/ utlegging	0,2 kN
Bruksegenskaper	
Driftstemperatur område	-10 .. 50 °C
Brannbegrensende	IEC 60332-3, kategori C
Min. statisk bøyeradius	40,0 mm




### Produktliste



☎=Make to order, 📦=Make to stock

Nexans ref.	El. nummer	Produktnavn	Lengde (m)	Fibertype	Konnektor type
📦 N123.5CCO2	6916912	LANmOF Snor 50 OM3 2x2SC 2 HF	2	OM3 50/125 extended distance	SC
📦 N123.5CCO5	6903760	LANmOF Snor 50 OM3 2x2SC 5 HF	5	OM3 50/125 extended distance	SC
☎ N123.2LLO2		LANmark-OF Patch cord Multimode 50/125 2LC - 2LC LSZH Orange 2m	2	OM2 50/125 Extended Distance	LC
☎ N123.2LLO5		LANmark-OF Patch cord Multimode 50/125 2LC - 2LC LSZH Orange 5m	5	OM2 50/125 Extended Distance	LC
☎ N123.2CLO2		LANmark-OF Patch cord Multimode 50/125 2LC - 2SC LSZH Orange 2m	2	OM2 50/125 Extended Distance	SC-LC
☎ N123.2CLO5		LANmark-OF Patch cord Multimode 50/125 2LC - 2SC LSZH Orange 5m	5	OM2 50/125 Extended Distance	SC-LC
☎ N123.2LTO2		LANmark-OF Patch cord Multimode 50/125 2LC - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	LC
☎ N123.2LTO5		LANmark-OF Patch cord Multimode 50/125 2LC - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	LC
📦 N123.2CTO2		LANmark-OF Patch cord Multimode 50/125 2SC - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	SC
☎ N123.2CTO5		LANmark-OF Patch cord Multimode 50/125 2SC - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	SC
☎ N123.2TTO2		LANmark-OF Patch cord Multimode 50/125 2ST - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	ST
☎ N123.2TTO5		LANmark-OF Patch cord Multimode 50/125 2ST - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	ST
☎ N123.2MLO2		LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2LC LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MLO5		LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2LC LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MCO2		LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2SC LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MCO5		LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2SC LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MTO2		LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ




















☎ = Make to order, 📦 = Make to stock



## LANmark-OF Patch Cords

Nexans ref.	Ei. nummer	Produktnavn	Lengde (m)	Fibertype	Konnektor type
 N123.2MTO5		LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
 N123.2MMO2		LANmark-OF Patch cord Multimode 50/125 MT-RJ - MT-RJ LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ
 N123.2MMO5		LANmark-OF Patch cord Multimode 50/125 MT-RJ - MT-RJ LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
 N123.5LLO2		LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2LC LSZH Orange 2m	2	OM3 50/125 extended distance	LC
 N123.5LLO5		LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2LC LSZH Orange 5m	5	OM3 50/125 extended distance	LC
 N123.5CLO2		LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2SC LSZH Orange 2m	2	OM3 50/125 extended distance	SC-LC
 N123.5CLO5		LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2SC LSZH Orange 5m	5	OM3 50/125 extended distance	SC-LC
 N123.5LTO2		LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	LC
 N123.5LTO5		LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	LC
 N123.5CTO2		LANmark-OF Patch cord Multimode 50/125 OM3 2SC - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	SC
 N123.5CTO5		LANmark-OF Patch cord Multimode 50/125 OM3 2SC - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	SC
 N123.5TTO2		LANmark-OF Patch cord Multimode 50/125 OM3 2ST - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	ST
 N123.5TTO5		LANmark-OF Patch cord Multimode 50/125 OM3 2ST - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	ST
 N123.5MLO2		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2LC LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
 N123.5MLO5		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2LC LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
 N123.5MCO2		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2SC LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
 N123.5MCO5		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2SC LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
 N123.5MTO2		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
 N123.5MTO5		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
 N123.5MMO2		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - MT-RJ LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
 N123.5MMO5		LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - MT-RJ LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
 N123.0LLO2		LANmark-OF Patch cord Multimode 62,5/125 2LC - 2LC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	LC
 N123.0LLO5		LANmark-OF Patch cord Multimode 62,5/125 2LC - 2LC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	LC
 N123.0CLO2		LANmark-OF Patch cord Multimode 62,5/125 2LC - 2SC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	SC-LC
 N123.0CLO5		LANmark-OF Patch cord Multimode 62,5/125 2LC - 2SC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	SC-LC

 = Make to order,  = Make to stock

## LANmark-OF Patch Cords

Nexans ref.	El. nummer	Produktnavn	Lengde (m)	Fibertype	Konnektor type
 N123.0LTO2		LANmark-OF Patch cord Multimode 62,5/125 2LC - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	LC
 N123.0LTO5		LANmark-OF Patch cord Multimode 62,5/125 2LC - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	LC
 N123.0CCO2		LANmark-OF Patch cord Multimode 62,5/125 2SC - 2SC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	SC
 N123.0CCO5		LANmark-OF Patch cord Multimode 62,5/125 2SC - 2SC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	SC
 N123.0CTO2		LANmark-OF Patch cord Multimode 62,5/125 2SC - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	SC
 N123.0CTO5		LANmark-OF Patch cord Multimode 62,5/125 2SC - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	SC
 N123.0TTO2		LANmark-OF Patch cord Multimode 62,5/125 2ST - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	ST
 N123.0TTO5		LANmark-OF Patch cord Multimode 62,5/125 2ST - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	ST
 N123.0MLO2		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2LC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MLO5		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2LC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MCO2		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2SC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MCO5		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2SC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MTO2		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MTO5		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MMO2		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - MT-RJ LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MMO5		LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - MT-RJ LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.4LLY2		LANmark-OF Patch cord Singlemode OS2 2LC - 2LC LSZH Yellow 2m	2	SM (G.652D)	LC
 N123.4LLY5		LANmark-OF Patch cord Singlemode OS2 2LC - 2LC LSZH Yellow 5m	5	SM (G.652D)	LC
 N123.4CLY2		LANmark-OF Patch cord Singlemode OS2 2LC - 2SC LSZH Yellow 2m	2	SM (G.652D)	SC-LC
 N123.4CLY5		LANmark-OF Patch cord Singlemode OS2 2LC - 2SC LSZH Yellow 5m	5	SM (G.652D)	SC-LC
 N123.4LTY2		LANmark-OF Patch cord Singlemode OS2 2LC - 2ST LSZH Yellow 2m	2	SM (G.652D)	LC
 N123.4LTY5		LANmark-OF Patch cord Singlemode OS2 2LC - 2ST LSZH Yellow 5m	5	SM (G.652D)	LC
 N123.4CTY2		LANmark-OF Patch cord Singlemode OS2 2SC - 2ST LSZH Yellow 2m	2	SM (G.652D)	SC
 N123.4CTY5		LANmark-OF Patch cord Singlemode OS2 2SC - 2ST LSZH Yellow 5m	5	SM (G.652D)	SC
 N123.4TTY2		LANmark-OF Patch cord Singlemode OS2 2ST - 2ST LSZH Yellow 2m	2	SM (G.652D)	ST

 = Make to order,  = Make to stock

## LANmark-OF Patch Cords

Nexans ref.	El. nummer	Produktnavn	Lengde (m)	Fibertype	Konnektor type
☎ N123.4TTY5		LANmark-OF Patch cord Singlemode OS2 2ST - 2ST LSZH Yellow 5m	5	SM (G.652D)	ST
🏠 N123.2CCO2	6916911	LANmarkOF Snor 50 2x2SC 2 HF	2	OM2 50/125 Extended Distance	SC
🏠 N123.2CCO5	6916913	LANmarkOF Snor 50 2x2SC 5 HF	5	OM2 50/125 Extended Distance	SC
🏠 N123.4CCY2	6903755	LANmarkOF Snor SM 2x2SC 2 HF	2	SM (G.652D)	SC
🏠 N123.4CCY5	6903758	LANmarkOF Snor SM 2x2SC 5 HF	5	SM (G.652D)	SC

☎ = Make to order, 🏠 = Make to stock