





NFV 2900 rpm



نیم پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	5	10	12	13	14	15	16	18	20	22	25	26	28	31	
	KW	HP			رانش	مکش																
NFV 32-160 E	2.2	3	5	130	32	32	H (m)	18.4	17.4	16.6	16.2	15.5	14.7	13.8	11.8	*	*	*	*	*	*	*
NFV 32-160 D	3	4	6	140	32	32		21.6	20.6	19.9	19.4	18.9	18.3	17.6	16	14.2	12	*	*	*	*	*
NFV 32-160 C	3	4	6	150	32	32		24.8	24.1	23.6	23.2	22.7	22.2	21.7	20.2	18.6	16.8	13.6	*	*	*	*
NFV 32-160 B	4	5.5	8	160	32	32		28.4	28	27.5	27.2	26.9	26.5	26	24.8	23.5	21.8	19.3	18.2	15.8	*	*
NFV 32-160 A	5.5	7.5	11	169	32	32		31.5	31.2	30.9	30.6	30.4	30.1	29.7	28.9	27.8	26.6	24.2	23.3	21.3	17.3	*



نیم پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	2	4	5	6	7	8	9	10	11	12	13	14	15	16	
	KW	HP			رانش	مکش																
NFV 32-200 E	3	4	6	170	32	32	H (m)	31.7	31.2	30.9	30.6	30.2	29.8	29.2	28.2	*	*	*	*	*	*	*
NFV 32-200 D	4	5.5	8	180	32	32		36	35.6	35.3	35	34.6	34.2	33.6	32.7	31.2	29.2	*	*	*	*	*
NFV 32-200 C	4	5.5	8	190	32	32		40	39.6	39.4	39.1	38.8	38.3	37.7	36.9	35.8	34.4	32.8	30.8	*	*	*
NFV 32-200 B	5.5	7.5	11	200	32	32		44.6	44.2	44	43.7	43.5	43	42.6	42	41.1	39.9	38.5	36.9	34.8	*	*
NFV 32-200 A	7.5	10	15	209	32	32		48.2	48.2	48.1	48	47.7	47.3	46.8	46.2	45.6	44.8	43.6	42.2	40.6	38.2	*





نیم پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	6	8	9	10	11	12	13	14	15	16	18	19	20	22	
	KW	HP			رانش	مکش																
NFV 32-250 F	7.5	10	15	210	32	32	H (m)	46.2	45.6	45	44.2	43.2	41.6	39.6	36.8	*	*	*	*	*	*	*
NFV 32-250 E	11	15	22.5	220	32	32		51.1	50.4	49.8	49	48.2	47.2	45.6	43.6	40.8	37.6	*	*	*	*	*
NFV 32-250 D	11	15	22.5	230	32	32		56	55.4	55.2	54.5	53.6	52.8	51.6	50.1	48	45.5	*	*	*	*	*
NFV 32-250 C	11	15	22.5	240	32	32		60.8	60.2	59.8	59.4	58.8	58.4	57.6	56.7	55.4	53.4	48	*	*	*	*
NFV 32-250 B	15	20	30	250	32	32		66.4	65.8	65.5	65	64.7	64.1	63.5	62.6	61.6	60.1	55.9	52.6	48	*	*
NFV 32-250 A	15	20	30	259	32	32	71.2	70.8	70.5	70	69.6	69.1	68.7	68	67.2	66.2	63.2	60.7	57.1	47.1	*	





NFV 2900 rpm



نیم پمپ	قدرت		حریان A	قطر پروانه (mm)		قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	10	12.5	15	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40	43		
	KW	HP		D	راننش	مکش	H (m)																	
NFV 40-125 G	1.5	2	3	110	40	40	H (m)	11.6	11.2	10.8	10.3	9.8	9	8.2	7	5.6	*	*	*	*	*			
NFV 40-125 F	1.5	2	3	115	40	40		13.2	12.8	12.3	11.8	11.3	10.5	9.6	8.6	7.2	5.6	*	*	*	*	*		
NFV 40-125 E	2.2	3	5	120	40	40		14.4	14.1	13.8	13.4	12.8	12.2	11.4	10.4	9	7.4	5.7	*	*	*	*	*	
NFV 40-125 D	2.2	3	5	125	40	40		16.2	15.8	15.4	15	14.4	13.7	12.9	12	10.9	9.5	8	6.4	*	*	*	*	
NFV 40-125 C	3	4	6	130	40	40		17.5	17.2	16.8	16.3	15.8	15.1	14.4	13.6	12.5	11.2	9.6	8	*	*	*	*	
NFV 40-125 B	3	4	6	135	40	40		19.2	18.8	18.4	17.9	17.4	16.7	16	15.2	14.1	12.9	11.6	10.2	8.6	*	*	*	*
NFV 40-125 A	3	4	6	139	40	40		20.4	20	19.6	19.1	18.6	17.9	17.2	16.4	15.4	14.4	13.2	11.9	10.4	8.4	*	*	*



نیم پمپ	قدرت		حریان A	قطر پروانه (mm)		قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	10	12.5	15	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40	42	
	KW	HP		D	راننش	مکش	H (m)																
NFV 40-160 E	2.2	3	5	130	40	40	H (m)	18.4	18	17.3	16.2	14.6	12.8	*	*	*	*	*	*	*	*	*	*
NFV 40-160 D	3	4	6	140	40	40		21.6	21.2	20.7	20	18.9	17.4	15.2	12.8	*	*	*	*	*	*	*	*
NFV 40-160 C	4	5.5	8	150	40	40		24.8	24.4	24	23.5	22.9	21.8	20.3	18.4	16.4	14.3	*	*	*	*	*	*
NFV 40-160 B	5.5	7.5	11	160	40	40		28.3	28	27.7	27.4	26.9	26.2	25.4	24.2	22.4	20.1	17.6	15.2	*	*	*	*
NFV 40-160 A	5.5	7.5	11	169	40	40		31.8	31.6	31.3	30.9	30.5	30	29.3	28.5	27.2	25.6	23.6	21.6	19.2	17.2	*	*





نیم پمپ	قدرت		حریان A	قطر پروانه (mm)		قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	5	10	12.5	15	17.5	20	21.5	22.5	25	27.5	30	32.5	35	39	
	KW	HP		D	راننش	مکش	H (m)																
NFV 40-200 E	4	5.5	8	170	40	40	H (m)	31.2	30.7	30.1	29	27.6	25.6	24	22.8	19.2	*	*	*	*	*	*	
NFV 40-200 D	5.5	7.5	11	180	40	40		35.1	34.4	33.8	33	31.9	30	28.6	27.5	24.8	21.6	*	*	*	*	*	*
NFV 40-200 C	7.5	10	15	190	40	40		39.2	38.5	38	37.4	36.6	35.4	34.4	33.4	31.2	28.5	25.4	22.3	*	*	*	*
NFV 40-200 B	11	15	22.5	200	40	40		43.6	43.2	42.8	42.2	41.4	40.2	39.4	38.7	37	35	32	28.8	24.8	*	*	*
NFV 40-200 A	11	15	22.5	209	40	40		47.6	47.2	47	46.6	46.1	45.2	44.6	44	42.4	40.7	38.5	35.9	32.7	26.4	*	*





NFV 2900 rpm



تیپ پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)																
	KW	HP			رانش	مکش		10	15	20	22.5	25	30	35	37.5	40	42.5	45	50	55	56		
NFV 40-250 F	11	15	22.5	210	40	40	H (m)	46.4	45.6	44.6	44	43.4	42	39.2	37.4	35.2	32.2	*	*	*	*		
NFV 40-250 E	15	20	30	220	40	40		51.8	51.2	50.4	50.1	49.6	48	45.4	43.6	41.5	39.1	36.8	*	*	*		
NFV 40-250 D	15	20	30	230	40	40		56.8	56.4	55.6	55.3	54.8	53.6	51.3	49.5	47.5	45.4	42.8	38	*	*		
NFV 40-250 C	18.5	25	36	240	40	40		63.9	63.3	62.5	62.2	61.7	60.8	58.4	56.8	54.9	52.6	50	44.8	*	*		
NFV 40-250 B	22	30	42.5	250	40	40		69.6	69.2	68.8	68.5	68	67.1	65.4	64.1	62.4	60.5	58.5	54.1	48	46.6		
NFV 40-250 A	22	30	42.5	259	40	40		75.2	74.8	74.3	73.9	73.6	72.7	71.2	70.3	69.2	68	66.4	62.9	57.5	56.2		



تیپ پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)																
	KW	HP			رانش	مکش		10	20	25	30	35	40	45	47.5	50	55	60	65	70	76		
NFV 50-160 E	4	5.5	8	130	50	50	H (m)	17.4	17	16.7	16.2	15.6	14.7	13.8	*	*	*	*	*	*	*		
NFV 50-160 D	5.5	7.5	11	140	50	50		19.9	19.8	19.6	19.2	18.7	18	17.1	16.6	16.1	15	*	*	*	*		
NFV 50-160 C	7.5	10	15	150	50	50		22.8	22.7	22.6	22.4	22.2	21.8	21.1	20.7	20.2	19.1	17.5	*	*	*		
NFV 50-160 B	7.5	10	15	160	50	50		26	25.8	25.8	25.6	25.4	25	24.6	24.2	23.9	23.2	22.2	21	19.4	*		
NFV 50-160 A	11	15	22.5	169	50	50		29.3	29.1	29	28.8	28.6	28.2	27.8	27.6	27.4	26.8	26.1	25.2	24	22.4		



تیپ پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)																
	KW	HP			رانش	مکش		20	30	40	45	47.5	50	60	65	70	72.5	75	80	85	91		
NFV 50-200 E	7.5	10	15	170	50	50	H (m)	37.3	36.5	34.5	33	32.1	30.9	25	*	*	*	*	*	*	*		
NFV 50-200 D	11	15	22.5	180	50	50		42.7	41.5	40	38.4	37.6	36.7	32.5	30	*	*	*	*	*	*		
NFV 50-200 C	11	15	22.5	190	50	50		47.5	46.6	45.5	44.3	43.6	42.8	39.5	37.5	35.1	33.6	31.8	*	*	*		
NFV 50-200 B	15	20	30	200	50	50		52.6	52	51.1	50.2	49.6	49	46.3	44.7	42.7	41.4	40	37.1	*	*		
NFV 50-200 A	18.5	25	36	209	50	50		57.7	57	56	55.4	55.1	54.7	52.5	51.1	49.5	48.5	47.4	45	42.5	38.5		



NFV 2900 rpm

نیم پمپ	قدرت		حریان A	قطر پروانه (mm) D	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	20	25	30	40	45	47.5	50	60	65	70	72.5	75	80	81	
	KW	HP			رانش	مکش																
NFV 50-250 E	15	20	30	220	50	50	H (m)	51.5	51	49.8	47	45.2	44.3	43.2	38.2	35	*	*	*	*	*	
NFV 50-250 D	18.5	25	36	230	50	50		56.4	56	55.1	52.8	51.2	50.2	49.2	44	40.4	36.8	*	*	*	*	*
NFV 50-250 C	18.5	25	36	240	50	50		61.4	60.9	60.1	58.2	56.7	55.9	55	49.9	47	43.4	41.6	39.8	*	*	*
NFV 50-250 B	22	30	42.5	250	50	50		67.2	67	66.4	64.7	63.2	62.2	61	56.1	53.4	49.9	48.1	46.3	42.4	41.6	
NFV 50-250 A	30	40	57	259	50	50		73	72.7	72.2	70.6	69.2	68.4	67.4	62.4	59.2	56.1	54.4	52.8	48.8	48	

